

	MODEL	FEATURES	CFM @ .01 W.G.	SONES	DUCT	HOUSING HEIGHT	LAMPS	MOTION SENSOR	HUMIDITY SENSOR
--	-------	----------	----------------	-------	------	----------------	-------	---------------	-----------------



SED SERIES PREMIUM EFFICIENCY FAN, ULTRA-QUIET DC MOTOR

	SED 110M	PREMIUM DC FAN WITH MOTION SENSOR <small>TWO SPEED DC FAN: Upper speed is adjustable from 80 to 140 CFM, Low speed is adjustable from 30-130 CFM</small>	80	0.3	4 & 6"	7-5/8"	NO	YES	NO
			140	0.8	6"	7-5/8"	NO	YES	NO
	SED 110	PREMIUM DC FAN - TWO SPEED <small>TWO SPEED DC FAN: Upper speed is adjustable from 80 to 140 CFM, Low speed is adjustable from 30-130 CFM</small>	80	0.3	4 & 6"	7-5/8"	NO	NO	NO
			140	0.8	6"	7-5/8"	NO	NO	NO

SE SERIES PREMIUM EFFICIENCY FAN, ULTRA-QUIET AC MOTOR

	SE80T	PREMIUM FAN - LOW SONE	80	0.8	4"	7-5/8"	NO	NO	NO
	SE90T		90	0.7	4 & 6"	7-5/8"	NO	NO	NO
	SE 110		110	0.7	4 & 6"	7-5/8"	NO	NO	NO
	SE 120		120	1.2	4 & 6"	7-5/8"	NO	NO	NO
	SE 150		150	1.1	6"	7-5/8"	NO	NO	NO
	SE90SC	PREMIUM 2 SPEED FAN - LOW SONE	90	0.7	4 & 6"	7-5/8"	NO	NO	NO
	SE 140SC		140	1.3	6"	7-5/8"	NO	NO	NO
	SE90TH	PREMIUM FAN WITH HUMIDITY SENSOR	90	0.7	4 & 6"	7-5/8"	NO	NO	YES
	SE 110H		110	0.7	4 & 6"	7-5/8"	NO	NO	YES
	SE90MH	PREMIUM FAN WITH MOTION AND HUMIDITY SENSOR	90	0.7	4 & 6"	7-5/8"	NO	YES	YES
	SE 110MH		110	0.7	4 & 6"	7-5/8"	NO	YES	YES
	SE80TL	FAN LIGHT - FLUORESCENT, 23 WATT GU24, 41K, LAMPS INCLUDED	80	0.8	4"	7-5/8"	23W GU-24	NO	NO
	SE90TL		90	0.7	4 & 6"	7-5/8"	23W GU-24	NO	NO
	SE 110L		110	0.7	4 & 6"	7-5/8"	23W GU-24	NO	NO
	SE 120L		120	1.2	4 & 6"	7-5/8"	23W GU-24	NO	NO
	SE 150L		150	1.1	6"	7-5/8"	23W GU-24	NO	NO
	SE90TLH	FAN LIGHT - FLUORESCENT, WITH HUMIDITY SENSOR, 23 WATT GU24, 41K	90	0.7	4 & 6"	7-5/8"	23W GU-24	NO	YES
	SE 110LH		110	0.7	4 & 6"	7-5/8"	23W GU-24	NO	YES
	SE80LED	PREMIUM LED FAN LIGHT 850 LUMENS - 4100K, 5 YEAR WARRANTY, 1 WATT LED NIGHT LIGHT	80	0.8	4"	7-5/8"	10W LED	NO	NO
	SE90LED		90	0.7	4 & 6"	7-5/8"	10W LED	NO	NO
	SE 110LED		110	0.7	4 & 6"	7-5/8"	10W LED	NO	NO
	SE 120LED		120	1.1	4 & 6"	7-5/8"	10W LED	NO	NO
	SE 150LED		150	1.1	6"	7-5/8"	10W LED	NO	NO
	SE 110X	FAN WITH HEATER, 1000 WATT	110	0.7	4 & 6"	7-5/8"	NO	NO	NO
	SE 110XL	FAN LIGHT WITH HEATER, 1000 WATT, 2 X 18 WATT GU24, 5000K	110	0.7	4 & 6"	7-5/8"	2X18W GU-24	NO	NO
	SE-GU24-LK	FLUORESCENT LIGHT KIT, 41K LAMP INCLUDED, 23W GU24	Fits All SE Series Fans						
	SE-LED-LK	10 WATT LED LIGHT KIT, 41K LED'S, 10 WATT LED, RATED FOR 40,000 HOURS	Fits SE, SES and SED Series Fans						

SE-S SERIES SHALLOW HOUSING, ULTRA-QUIET AC MOTOR

	SE80-S	LOW-PROFILE FAN, SHALLOW HOUSING (5-5/8")	80	0.8	4"	NO	NO	NO	NO
	SE90-S		90	0.7	4 & 6"	NO	NO	NO	NO
	SE 110-S		110	0.7	4 & 6"	NO	NO	NO	NO
	SE 120-S		120	1.2	4 & 6"	NO	NO	NO	NO
	SE 140-S		140	1.1	6"	NO	NO	NO	NO

PRODUCT SELECTION GUIDE



	MODEL	FEATURES	CFM @ 0.1 W.G.	SONES	DUCT	HOUSING HEIGHT	LAMPS	MOTION SENSOR	HUMIDITY SENSOR
--	-------	----------	----------------	-------	------	----------------	-------	---------------	-----------------



SES SERIES ULTRA SHALLOW FAN

	SES50	ULTRA SHALLOW FAN 3-3/4"	50	0.6	4"	3-3/4"	NO	NO	NO
	SES80	ULTRA SHALLOW FAN 3-3/4"	80	1.1	4"	3-3/4"	NO	NO	NO
	SES80LED	ULTRA SHALLOW FAN WITH LED LIGHT	80	1.1	4"	3-3/4"	YES	NO	NO
	SES80H	ULTRA SHALLOW FAN WITH HUMIDITY SENSOR	80	1.1	4"	3-3/4"	NO	NO	YES
	SES80LEDH	ULTRA SHALLOW FAN WITH HUMIDITY SENSOR AND LED LIGHT	80	1.1	4"	3-3/4"	YES	NO	YES
	SE-LED-LK	LED LIGHT KIT FOR SES SERIES, 41K, WITH NIGHT LIGHT					10W LED		

SN SERIES QUIET AC MOTOR

	SN50	FAN - LOW SONE, SHALLOW HOUSING, 5-5/8"	50	0.6	4"	5-5/8"	NO	NO	NO
	SN80		80	1.1	4 & 6"	5-5/8"	NO	NO	NO
	SN50L	FAN - LOW SONE, SHALLOW HOUSING, 5-5/8", 2 X 18W GU-24, LAMPS INCLUDED	50	0.6	4"	5-5/8"	2X18W GU-24	NO	NO
	SN80L		80	1.1	4 & 6"	5-5/8"	2X18W GU-24	NO	NO

S SERIES ECONOMY FAN

	S50	FAN - LOW SONE, SHALLOW HOUSING, 3-5/8" <small>Does not use bar hangers</small>	50	3.5	4 & 6"	3-5/8"	NO	NO	NO
	S70		70	3.6	4 & 6"	3-5/8"	NO	NO	NO

PA SERIES PREMIUM FAN, ULTRA-QUIET AC MOTOR

	PA500V	PREMIUM FAN - LOW SONE, UL LISTED	50	0.3	4"	7-5/8"	NO	NO	NO	
	PA700V		70	0.4	4"	7-5/8"	NO	NO	NO	
	PA900V		90	0.7	4"	7-5/8"	NO	NO	NO	
	PA1100V		110	1.3	4"	7-5/8"	NO	NO	NO	
	PA500VLE	FAN LIGHT - FLUORESCENT, UL LISTED, 2X 18 WATT GU-24, LAMPS INCLUDED	50	0.3	4"	7-5/8"	2X18W GU-24	NO	NO	
	PA700VLE		70	0.4	4"	7-5/8"	2X18W GU-24	NO	NO	
	PA900VLE		90	0.7	4"	7-5/8"	2X18W GU-24	NO	NO	
	PA1100VLE		110	1.3	4"	7-5/8"	2X18W GU-24	NO	NO	
	0750HM	FIRE RADIATION DAMPER, AUTOMATICALLY SEALS OFF FAN AND DUCT DURING FIRE, UL LISTED. PA SERIES ONLY								

SEC SERIES HIGH CFM VENTILATION FAN

	SEC200	HIGH CFM VENTILATION FAN	200	2.40	6"	8"	NO	NO	NO
--	---------------	--------------------------	-----	------	----	----	----	----	----

SE-RVL RECESSED DOWN LIGHT FAN

	SE80RVL	RECESSED FAN LIGHT - FLUORESCENT	80	0.9	4 & 6"	7-5/8"	16W GU-24	NO	NO
	SE80RVLH	RECESSED FAN LIGHT - FLUORESCENT WITH HUMIDITY SENSOR	80	0.9	4 & 6"	7-5/8"	16W GU-24	NO	YES
	SE-MR16-LK	MR-16 TRIM FOR SE80RVL, INCLUDES 6 WATT GU-10 LED LAMP 41K, 410 LUMENS, CAN ALSO USE 50 WATT GU-10 HALOGEN LAMPS					6W LED	NO	NO

	MODEL	FEATURES	CFM @ 0.1 W.G.	SONES	DUCT	HOUSING HEIGHT	LAMPS	MOTION SENSOR	HUMIDITY SENSOR
--	-------	----------	----------------	-------	------	----------------	-------	---------------	-----------------



SES SERIES ULTRA SHALLOW FAN

	VK 100	HIGH VOLUME INLINE FAN	150	8.5	4"	10"	NO	NO	NO
	VK 150	HIGH VOLUME INLINE FAN	300	7.2	6"	12"	NO	NO	NO
	VK200	HIGH VOLUME INLINE FAN, ENERGY STAR	560	8.1	8"	13"	NO	NO	NO
	VK250	HIGH VOLUME INLINE FAN	700	10.2	10"	13"	NO	NO	NO
	VK315	HIGH VOLUME INLINE FAN, ENERGY STAR	800	11.5	12"	16"	NO	NO	NO

ACCESSORIES

	VRF-4"	4" WALL CAP OR INTAKE WITH ADJUSTABLE LOUVER						
	VRF-6"	6" WALL CAP OR INTAKE WITH ADJUSTABLE LOUVER						
	SE-RVL-NM	FAN LIGHT AIR INTAKE FOR TT & VK SERIES FAN, WIRED FOR LIGHT, W/ LAMP, HOUSING ONLY, NO MOTOR			7-5/8"	15W GU-24 R-30		
	SE-NM	FAN HOUSING FOR AIR IN-TAKE TT & VK SERIES INLINE, WIRED FOR LIGHT KIT, HOUSING ONLY, NO MOTOR			7-5/8"	OPTIONAL		
	SE-GU24-LK	OPTIONAL FLUORESCENT LIGHT KIT, FOR USE WITH SE -NM				23W GU-24		
	SE-LED-LK	OPTIONAL LED LIGHT KIT, FOR USE WITH SE -NM, 40,000 HOUR RATED LIFE				11W LED		